201 ò060 ó ì ï PAINT

The Sumv OE $\mu \lor \hat{Q}$ OE $(\mu \check{s}) \lor U Z OE \lor \hat{u}$ is \$o\highiniting bids fo\hat{\highiniting} bids fo\hat{\text{Z}}heo $\hat{Q} = \hat{u}$ purchase of paint. The bid will be for materials only.

BIDDER REQUIREMENTS

Χ

Polyurethane: A single component moisture curing polyurethane, pigmented,

solvent based semi-gloss enamel intended for use on properly prepared metal, concrete, gypsum board, plaster and wood surfaces for interior and exterior exposure. The enamel will have a high degree of water and chemical resistance and provide good resistance to exterior weathering. MPI# 202

Concrete Sealer (High Gloss): A water based, acrylic co-polymer emulsion type, clear sealer

for interior and exterior horizontal concrete floors, decks and exposed aggregate driveways and walkways. Oil, gasoline,

alkali, and water resistant. MPI# 99

Primer: A solvent based, alkyd type, pigmented primer/sealer for new

interior wood, plaster and porous surfaces, and also for areas previously painted with flat paints. This product is used for new and repainting work residential and commercial buildings. MPI#

SUMNER COUNTY BOARD OF EDUCATION

Purchasing Department 1500 Airport Road Gallatin, TN 37066

COMPANY NAME	
ADDRESS	
TELEPHONE	
EMAIL	
ALITHODIZED COMPANY	

AUTHORIZED COMPANY